



TECHNIMOUNT

EMS®



BRACKET PRO SERIE® 25 - WOB

MOUNTING SYSTEM FOR THE ZOLL® X SERIES® MONITOR/DEFIBRILLATOR

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Bracket Pro Serie® 25 - WOB (Without Bag) is designed to give fast and easy access to the ZOLL X Series® Monitor/Defibrillator.

Lightweight and compact, the Bracket Pro Serie® 25 - WOB is ideal for narrow workspaces such as counters and other surfaces in hospitals.

At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most- patient care.



Hospital



Stretcher

BRACKET PRO SERIE® 25 - WOB

PRODUCT ILLUSTRATION

Attaches to Medical Device
Using 3 Lateral Blocks

High-Density
Aluminum with Silver-
Anodized Finish

Minimum
Installation
Required on the
Medical Device

360° Rotation
on the Standard
Surface Base

Small, Compact
Design for Narrow
Workspaces

Resistant to
Biological Fluids
and Quaternary-type
Disinfectants



TECHNICAL SPECIFICATIONS

Product Name	Bracket Pro Serie® 25 WOB - GR
Description	Support bracket designed to aid trained EMS and clinical personnel move the ZOLL® X Series® monitor/defibrillator that is essential to patient care during emergency medical services and critical care
Product Code	100-11-XZ-WOB
Operating Environment	EMS/CCT (ground)
Compliance	Tested in compliance with SAE J3043 and AMD-028
Expected Service Life	5 years
Compatible Stretcher	N/A
Compatible Mounting System	<ul style="list-style-type: none">• Standard Surface Base• Extended Surface Base• Universal Mounting Base
Compatible Medical Devices/ Accessories	ZOLL® X Series® monitor/defibrillator (w/o bags)
Dimensions (L X P X H)	6.47 in. X 6.47 in. X 1.51 in. (15.24 cm X 15.24 cm X 2.54 cm), w/o medical device
Weight	1.3 lb (0.59 kg), w/o medical device
Composition	<ul style="list-style-type: none">• Bracket Pro Serie® 25 WOB - GR: aluminum, stainless steel• Standard bottom disc: aluminum
Total Safe Working Load (SWL)	12 lb (5.5 kg)
Operating Temperature	- 31° F to 113° F (- 35° C to 45° C)
Cleaning Solutions	<ul style="list-style-type: none">• Oxivir®, 5% Hydrogen Peroxide with Peracetic Acid (AHP)• Lavo® 12, 10 000 ppm Sodium Hypochlorite• TNT-100, 5% Quaternary Ammonium Compound• Spectro-Sept, 5% Ethyl Alcohol• Spectrol, 5% EDTA salt
Options	N/A

* Product and medical equipment manufacturers names are trademarks™ or registered trademarks® of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

YOUR SAFETY IS OUR PRIORITY



FEATURES

- ✓ Designed for the ZOLL X Series Monitor/Defibrillator without Bags
- ✓ Universal Standard Bottom Disc allows for 360° rotation when installed on Technimount's Standard Surface Base
- ✓ Locking system with Quick Release Mechanism
- ✓ Made from high-density aluminum with a silver-anodized finished
- ✓ SAE J3043 (certification in process)
- ✓ Compatible with other Technimount's Products

BENEFITS

- + Multiple configurations on cot/stretchers, wall, floor/surface for hospital/clinic environments
- + Access to medical device from all angles (360° rotation on Technimount's Standard Surface Base)
- + Quick installation and removal of bracket from Technimount's mounting systems
- + Lightweight and compact design for narrow workspaces
- + Easy to clean and disinfect as bracket is resistant to biological fluids and Quaternary-type disinfectants
- + Reduces the risk of damage to the equipment and ensures safety of patients and healthcare providers



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

technimount.com

