



TECHNIMOUNT
EMS™



XTENSION PRO™ ASSISTANT – CCT

MOUNTING SYSTEM FOR MULTIPLE MEDICAL DEVICES DURING
GROUND CRITICAL CARE TRANSPORT

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Xtension Pro Assistant – CCT is designed to secure multiple medical devices during ground critical care transport. Responding to the operational needs of emergency medical services and healthcare professionals, the Xtension Pro Assistant – CCT enables interchangeability of medical devices according to protocols in place.

Tested in compliance with SAE J3043, the highest security standards, this solution improves the safety of patients and personnel during transport.

At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most - patient care.

XTENSION PRO™ ASSISTANT - CCT

POTENTIAL CONFIGURATIONS

Stryker LIFEPAK® 15
Monitor/Defibrillator



Hamilton-T1®
Ventilator



ZOLL X Series®
Monitor/Defibrillator



OR



OR



B. Braun Infusomat®
Space® Pumps

Baxter Spectrum
IQ™ Pumps

Note: Product may vary from images shown
Xtension Pro Assistant - CCT/ECMO available for ECMO and Critical Care Transport

TECHNICAL SPECIFICATIONS

Product Name	Xtension Pro™ Assistant - CCT
Description	Mounting system for ground critical care transport on a Stryker® Power-PRO™ XT stretcher
Part Number	1630-00-PFXT
Features	<ul style="list-style-type: none">– 2 Standard Surface Bases– Gliding system– Ergonomic handles integrated into the mobile structure– Installation of up to 4 Baxter Spectrum® IQ or 4 B. Braun Infusomat® Space®/Perfusor® Space® pumps
Operating Environment	EMS/CCT (ground)
Compliance	Tested in compliance with SAE J3043
Compatible Stretcher / Cot*	Stryker® Power-PRO™ XT
Compatible Mounting System	Technimount Bracket Pro Serie® mounting systems with standard bottom disc
Dimensions (W x D x H)	28.9 in. X 28.6 in. X 22.6 in. (73.4 cm X 72.7 cm X 57.4 cm)
Weight	<ul style="list-style-type: none">– Mobile structure with Standard Surface Bases and pump bracket: Baxter Spectrum® IQ 45.3 lbs (20.6 kg), B. Braun Infusomat® Space®/Perfusor® Space® 48.4 lbs (22 kg)– Clamp block on stretcher: 26.8 lbs (12.2 kg)
Composition	<ul style="list-style-type: none">– Mobile structure: aluminum 6061-T6, black anodized finish– Clamp blocks: aluminum 6061-T6, black anodized finish– Rail system: aluminum 6061-T6 and stainless steel– Locking handle: aluminum 6061-T6 and acetal
Safe Working Load (SWL)	86.5 lbs. (39.23 kg)
Operating Temperature	- 31° F to 113° F (- 35° C to 45° C)
Installation	<ul style="list-style-type: none">– Mobile structure slides onto the rail system that is held by 2 clamp blocks installed on the stretcher side rails– The system is locked into place with lock pins on both sides– Locking handle located at the foot end of the stretcher
Model & Configuration Options	<ul style="list-style-type: none">– Techni-IV pole approved for ambulance transport - maximum weight capacity is 1.5 L or 1.5 kg (50 fl oz or 3.3 lbs)– 1 power bar (6 outlets)– Spectrum® IQ or Infusomat® Space®/Perfusor® Space® infusion pump brackets– Xtension Pro™ Assistant - CCT/ECMO (1650-00-PFXT-EC)– Contact Customer Service at customerservice@technimount.com for more options

* Medical device manufacturer and product names are Trademarks™ or Registered Trademarks® of their respective holders. Technimount does not have a commercial relationship with these manufacturers.

YOUR SAFETY IS OUR PRIORITY



FEATURES

- ✓ Robust structure to secure a monitor, a ventilator and up to four pumps.
- ✓ Universal mounting system enables medical device interchangeability.
- ✓ Integrated gliding system to move the mobile structure forward or backward for lateral transfers.
- ✓ Centralization of the equipment on the stretcher.
- ✓ Tested in compliance with SAE J3043, the highest safety standards for the transport of medical devices.

BENEFITS

- + Facilitates medical device management during critical care transport by ambulance.
- + Improves efficiency during inter-facility patient transfer protocols.
- + Convenient lateral transfer from bed to stretcher and vice versa.
- + Optimizes space in the ambulance and facilitates access to medical equipment.
- + Improves patient and personnel safety during critical care transports with lessened risks of equipment damage.



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

technimount.com