



TECHNIMOUNT
EMS[®]

BRACKET PRO SERIE[®] 310-FL

MOUNTING SYSTEM FOR THE AERONOX 2.0 NITRIC OXIDE DELIVERY SYSTEM DURING EMS TRANSPORT




SAFETY AND FLEXIBILITY
WHERE IT MATTERS MOST

BRACKET PRO SERIE® 310-FL

Product Components

The Bracket Pro Serie 310-FL is designed to secure the AeroNOx 2.0 Nitric Oxide Delivery System during EMS ground and air transport. Equipped with a bottom micro disc, this mounting solution is compatible with Technimount's Micro Base for seamless equipment integration.

The Bracket Pro Serie 310-FL is tested in compliance with the most rigorous safety standards for air and ground transport of medical devices.




BRACKET PRO SERIE® 310-FL

Highlights

FEATURES & BENEFITS

- Tested in compliance with 4 CFR 23.561, 14 CFR 25.561, 14 CFR 27.561 & 14 CFR 29.561 and SAE J3043 for safe air or ground transport.
- Equipped with a bottom micro disc to support multiple mounting configurations.
- Quick installation and removal of the device from the bracket for maintenance, using the rotary locks.
- Top and front handle for easy and ergonomic manipulation of the bracket.
- Durable feet to stabilize the bracket on any flat surface.
- Access to medical device from all angles (360° rotation).
- Minimizes the risks of equipment damage.
- No interference with the device's connectors and wires.

Possible Configurations



Xtension Pro® Assistant-LP



Micro Base

BRACKET PRO SERIE® 310-FL

Technical Specifications

Product Name	Bracket Pro Serie 310 – FL
Description	Mounting bracket designed to secure and transport the AeroNOx 2.0 Nitric Oxide Delivery System
Product Code	3100-10-ANX-FL
Operating Environment	EMS/CCT (air and ground)
Compliance	<ul style="list-style-type: none">• Tested in compliance with 14 CFR 23.561, 14 CFR 25.561, 14 CFR 27.561 and 14 CFR 29.561• Tested in compliance with SAE J3043 and AMD-028
Compatible Mounting System	<ul style="list-style-type: none">• Micro Base• Surface Converter Pro
Compatible Medical Devices/ Accessories	AeroNOx 2.0 Nitric Oxide Delivery System
Dimensions (L X P X H)	314.45 mm X 147.79 mm X 328.61 mm (12.38 in. X 5.82 in. X 12.94 in.)
Weight	2.36 kg (5.2 lb)
Composition	<ul style="list-style-type: none">• Aluminum, stainless steel and plastic
Total Safe Working Load (SWL)	4 kg (8.8 lb)
Operating Temperature	- 35° C to 45° C (- 31° F to 113° F)



[technimount.com](https://www.technimount.com)

Bracket Pro Serie, Technimount EMS are Registered Trademarks of Technologies CGC Inc.

All medical device product and company names are trademarks™ or registered® trademarks of their respective holders.

© 2026 Technimount EMS Holding Inc. - All Rights Reserved - Printed in Canada

BR-BF310FL-202604EN-01