



BRACKET PRO SERIE® 150

BRACKET FOR THE MAXTEC® MAXBLEND™ OXYGEN BLENDER

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Bracket Pro Serie® 150 is designed to provide neonatal transport teams with a safe solution to securely transport the Maxtec® MaxBlend™ Oxygen Blender.

The Bracket Pro Serie® 150 is designed to comply with the highest industry safety standards for the transport of medical equipment, SAE J3043. At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most - patient care.





BRACKET PRO SERIE® 150

POTENTIAL CONFIGURATIONS

Mounting Systems and Medical Devices on

Mounting Systems and Medical Devices on Patient Head Support Structure Patient Foot End Support Structure



Neonatal Stretcher System

TECHNICAL SPECIFICATIONS

Product Name	Bracket Pro Serie® 150
Product Description	Bracket for Transport of MaxBlend™ on Stretcher during Neonatal Critical Car
Compatibility of Medical Device*	Maxtec® MaxBlend™ Oxygen Blender
Environment of Usage	EMS/CCT (Ground) - Hospital/Clinic
Product Section Material	 Main Assembly: Aluminum 6061-T6 U Block: Stainless Steel 304 Anti-Rotation Micro Disc: Aluminum 6061-T6
Product Finish	 Main Assembly: Black-Anodized Finish U Block: Black or Silver-Anodized Finish Anti-Rotation Micro Disc: Silver-Anodized Finish
Environmental Regulations	Complying with RoHS 3
Temperature of Usage	- 35° C to 45° C
Certification	Designed to Comply with SAE J3043
Installation	Device Retained on Main Assembly with Support Blocks
Attachment Options	Anti-Rotation Micro Disc
Transportation Compatibility Systems	Compatible with Technimount's: Safety MD-Transporter (vertical) Vertical Mounting System Micro Base
Features	 Access to all Medical Device Monitors, Connectors and Accessories Rubber Pads Protecting the Bracket when Place on a Surface Anti-Rotation Micro Disc for Installation on Vertical and Wall Mounting Systems Made with High-Density Aluminum
Physical Overall Dimensions	Width 5.3 in, Depth 6.3 in, Height 3.4 in
Weight	0.88 lb
Part Number	2010-10-MXBL-L
Other Models and Configuration Options	Contact Technimount EMS for more information or for other options a customerservice@technimount.com

^{*} Product and medical equipment manufacturers names are trademarks™ or registered trademarks® of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

YOUR SECURITY IS OUR PRIORITY



FEATURES

- Bracket designed to comply with the highest industry safety standards for the transport of medical equipment, SAE J3043
- Anti-Rotation Micro Disc allowing various configurations of vertical mounting on stretcher and wall systems
- Bracket respects the integrity and functionality of the medical device
- High-density aluminum with black-anodized finish
- Compatible with the Safety MD-Transporter™ and other Technimount EMS products with a Micro Base

BENEFITS

- Reduces the risk of damage to the equipment and ensures the safety of patients and crews during ground transport
- Flexible solution ensuring medical device is within reach at all times
- Safe mounting system to ensure medical device is secure during patient transport
- Resistant to biological fluids and Quaternary-type disinfectants
- Access to the medical device from all angles (360° rotation on the Safety MD-Transporter)



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

