



BRACKET PRO SERIE® 77

BRACKET FOR GROUND TRANSPORT OF LAERDAL COMPACT SUCTION UNIT® 4

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Bracket Pro Serie® 77 is for the safe transport of Laerdal Compact Suction Unit® 4 in neonatal critical care.

The Bracket Pro Serie® 77 is designed to comply with the highest industry safety standards for the transport of medical equipment, SAE J3043.



At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most – patient care.

BRACKET PRO SERIE® 77 POTENTIAL CONFIGURATIONS



Neonatal Stretcher System

TECHNICAL SPECIFICATIONS

Bracket Pro Serie® 77 Bracket for Transport of LCSU® 4 on Sretcher during Neonatal Critical Care Laerdal Compact Suction Unit® 4 EMS/CCT (Ground) – Hospital/Clinic Main Assembly: Aluminum 6061-T6 Anti-Rotation Micro Disc: Aluminum 6061-T6 Main Assembly: Black-Anodized Finish Anti-Rotation Micro Disc: Silver-Anodized Finish Complying with RoHS 3 - 35° C to 45° C Designed to Comply with: SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
Laerdal Compact Suction Unit® 4 EMS/CCT (Ground) – Hospital/Clinic • Main Assembly: Aluminum 6061-T6 • Anti-Rotation Micro Disc: Aluminum 6061-T6 • Main Assembly: Black-Anodized Finish • Anti-Rotation Micro Disc: Silver-Anodized Finish Complying with RoHS 3 - 35° C to 45° C Designed to Comply with: • SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
 EMS/CCT (Ground) - Hospital/Clinic Main Assembly: Aluminum 6061-T6 Anti-Rotation Micro Disc: Aluminum 6061-T6 Main Assembly: Black-Anodized Finish Anti-Rotation Micro Disc: Silver-Anodized Finish Complying with RoHS 3 - 35° C to 45° C Designed to Comply with: SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
 Main Assembly: Aluminum 6061-T6 Anti-Rotation Micro Disc: Aluminum 6061-T6 Main Assembly: Black-Anodized Finish Anti-Rotation Micro Disc: Silver-Anodized Finish Complying with RoHS 3 - 35° C to 45° C Designed to Comply with: SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
 Anti-Rotation Micro Disc: Aluminum 6061-T6 Main Assembly: Black-Anodized Finish Anti-Rotation Micro Disc: Silver-Anodized Finish Complying with RoHS 3 - 35° C to 45° C Designed to Comply with: SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
 Anti-Rotation Micro Disc: Silver-Anodized Finish Complying with RoHS 3 - 35° C to 45° C Designed to Comply with: SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
 - 35° C to 45° C Designed to Comply with: • SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
Designed to Comply with: • SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
SAE J30403 (26 G) Device Retained on Main Assembly with Support Blocks
Anti-Rotation Micro-Disc
Compatible with Technimount's: • Safety MD-Transporter (vertical) • Vertical Mounting System • Micro Base
 Access to all Medical Device Monitors, Connectors and Accessories Rubber Pads Protecting the Bracket when Placed on a Surface Rubber Cushions Inside the Bracket to Protect Medical Device Anti-Rotation Micro Disc for Installation on Vertical and Wall Mounting Systems Made with High-Density Aluminum
Width 7.09 in, Depth 7.62 in, Height 10.14 in
2.276 lb
770-10-LASP - Bracket Pro Serie® 77
Contact Technimount EMS for more information or for other options at

* Product and medical equipment manufacturers names are trademarks™ or registered trademarks® of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

YOUR SAFETY IS OUR PRIORITY



FEATURES

?	Bracket designed to comply with the highest industry safety standards for transport of medical equipment, SAE J3043
?	Anti-Rotation Micro Disc allowing various configurations of vertical mounting on stretcher and wall systems
?	Strap and blocks of the bracket to secure medical device and tank
?	High-density aluminum with black-anodized finish
?	Compatible with Safety MD-Transporter™ and other Technimount EMS products with a Micro Base

BENEFITS

- Reduces risks of damage to the equipment and ensures the safety of patients and crew during Critical Care transport
- Flexible solution ensuring medical device is within reach at all times
- Safe mounting system to ensure medical device is secure during the patient transport
- Resistant to biological fluids and Quaternary-type disinfectants
- Access to medical device from all angles (360° rotation on the Safety MD-Transporter)



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

Bracket Pro Serie, Technimount EMS are Registered Trademarks of Technologies CGC Inc. Laerdal Compact Suction Unit® 4 (LCSU® 4) is a Trademarks of Laerdal



© 2021 Technimount E.M.S. Holding Inc. - All Rights Reserved - Printed in Canada