



BRACKET PRO SERIE® 71

BRACKET FOR GROUND TRANSPORT OF PHILIPS® INTELLIVUE™ X3 MONITOR

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Bracket Pro Serie[®] 71 is designed to provide neonatal transport teams with a safe solution to securely transport the Philips[®] IntelliVue[™] X3 Monitor and docking solution.

The Bracket Pro Serie 71 is designed to comply with the highest industry safety standards for the transport of medical equipment, SAE J3043.



At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most – patient care.

BRACKET PRO SERIE® 71 POTENTIAL CONFIGURATIONS



Neonatal Stretcher System

TECHNICAL SPECIFICATIONS

Product Name	Bracket Pro Serie® 71
Product Description	Bracket for Transport of IntelliVue™ X3 and its Docking Solution on Stretcher during Neonatal Critical Care
Compatibility of Medical Device*	Philips® IntelliVue™ X3 Patient Monitor
Environment of Usage	EMS/CCT (Ground) - Hospital/Clinic
Product Section Material	 Main Assembly: Aluminum 6061-T6 Anti-Rotation Micro Disc: Aluminum 6061-T6 Transport Handle: Molded Polyurethane
Product Finish	 Main Assembly: Black-Anodized Finish Anti-Rotation Micro Disc: Silver-Anodized Finish
Environmental Regulations	Complying with RoHS 3
Temperature of Usage	- 35° C to 45° C
Certification	Designed to Comply with: • SAE J3043 (26 G)
Installation	Device Retained on Main Assembly with Red Quick Release Mechanism
Attachment Options	Anti-Rotation Micro Disc
Transportation Compatibility System	Compatible with Technimount's: • Safety MD-Transporter (vertical) • Vertical Mounting System • Micro Base
Features	 Access to all Medical Device Monitors, Connectors and Accessories Rubber Pads Protecting the Bracket when Placed on a Surface Molded Polyurethane Transport Handle Rubber Cushions Inside the Bracket to Protect Medical Device Red Quick Release Mechanism for Easy Installation and Removal of Medical Device Anti-Rotation Micro Disc for Installation on Vertical and Wall Mounting Systems Made with High-Density Aluminum
Physical Overall Dimensions	Width 8.78 in, Depth 7.1 in, Height 6.71 in
Weight	2.80 lb
Part Number	330-10-PHX3 - Bracket Pro Serie® 71
Other Models and Configuration Options	Contact Technimount EMS for more information or for other options at customerservice@technimount.com

* Product and medical equipment manufacturers names are trademarks[™] or registered trademarks[®] of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

YOUR SAFETY IS OUR PRIORITY




FEATURES

②	Bracket designed to comply with the highest industry safety standards for transport of medical equipment, SAE J3043
②	Anti-Rotation Micro Disc allowing various configurations of vertical mounting on stretcher and wall systems
⊘	Red Quick Release Mechanism to instantly remove the pump from the bracket
⊘	High-density aluminum with black-anodized finish
⊘	Compatible with Safety MD-Transporter™ and other Technimount EMS products with a Micro Base

BENEFITS

- Reduces risks of damage to the equipment and ensures the safety of patients and crew during Critical Care transport
- Flexible solution ensuring medical device is within reach at all times
- Safe mounting system to ensure the medical device and its docking solution are secure during patient transport
- Resistant to biological fluids and Quaternary-type disinfectants
- Access to medical device from all angles (360° rotation on the Safety MD-Transporter)



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST



