



TECHNIMOUNT
EMS™



XTENSION PRO™ ASSISTANT – CCT

MOUNTING SYSTEM FOR MULTIPLE MEDICAL DEVICES DURING GROUND
CRITICAL CARE TRANSPORT

SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

The Xtension Pro Assistant – CCT is designed to secure multiple medical devices during ground critical care transport.

Responding to the operational needs of emergency medical services and healthcare professionals, the Xtension Pro Assistant - CCT enables interchangeability of medical devices according to protocols in place. Tested in compliance with SAE J3043, the highest security standards, this solution ensures the safety of patients and personnel during transport.

At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most - patient care.

XTENSION PRO™ ASSISTANT - CCT

POTENTIAL CONFIGURATIONS

Stryker LIFEPAK 15
Monitor/Defibrillator



Hamilton-T1®
Ventilator



ZOLL X Series®
Monitor/Defibrillator



OR



OR



B. Braun Infusomat®
Space® Pumps

Baxter Spectrum
IQ™ Pumps

TECHNICAL SPECIFICATIONS

Product Name	Xtension Pro™ Assistant - CCT
Product Description	Mounting system for multiple medical devices during ground critical care transport
Compatibility of Medical Device	Stryker Power-PRO XT
Compatibility of Mounting Systems	Bracket Pro Serie® mounting system with standard bottom disc
Environment of Usage	Ground critical care transport*
Product Section Material	Mobile structure and clamp blocks: Aluminum 6061-T6
Product Finish	Black anodized finish
Temperature of Usage	31° F to 113° F (- 35° C to 45° C)
Certification	Tested in compliance with: <ul style="list-style-type: none">• SAE J3043
Installation	<ul style="list-style-type: none">• 2 clamp blocks installed on the stretcher side rails• Rail system installed on clamp blocks• Mobile structure installed onto the rail and clamp blocks
Features	<ul style="list-style-type: none">• 2 Standard Surface Base to secure Zoll X Series, Stryker LIFEPAK 15, and Hamilton-T1 on the structure• Ergonomic gliding system• Installation for up to 6 Baxter Spectrum IQ or B. Braun Infusomat Space pumps
Settings	Available options: <ul style="list-style-type: none">• Brackets for Baxter Spectrum IQ or B. Braun Infusomat Space pumps• Push bars (Compatible: ZOLL X Series with bags or LIFEPAK 15 without bags)
Physical Overall Dimensions (W x D x H)	26.72 in. x 25.12 in. x 18.60 in. (67.87 cm x 63.8 cm x 47.3 cm)
Weight	<ul style="list-style-type: none">• 45.3 lbs. (20.6 kg) - 48.4 lbs. (22.0 kg) depending on the options installed• 26.8 lbs. (12.2 kg) clamp blocks on stretcher
Maximum Loading Capacity	86.5 lbs. (39.3 kg) (Depending on configuration and options installed)
Part Number	1630-00-PFXT
Other Models and Configuration Options	<ul style="list-style-type: none">• Xtension Pro™ Assistant - CCT/ECMO <p>Contact Technimount EMS for more information or for other options at customerservice@technimount.com</p>

Note: Product and medical equipment manufacturer names are Trademarks™ or Registered Trademarks® of their respective holders. Technimount does not have a commercial relationship with these medical equipment manufacturers.

* Can be developed for air transport, contact customer service.

YOUR SAFETY IS OUR PRIORITY



FEATURES

- ✓ Robust structure to secure a monitor, a ventilator and several pumps.
- ✓ Universal mounting system enabling interchangeability between medical devices.
- ✓ Integrated gliding system to move the mobile structure forward or backward.
- ✓ Centralization of the equipment on the stretcher.
- ✓ Tested in compliance with SAE J3043, the highest safety standards for the transport of medical devices.

BENEFITS

- + Responds to specific needs to improve the management of medical equipment during critical care transports by ambulance.
- + Improves efficiency during patient transfer protocols.
- + Designed to facilitate the lateral transfer of the patient from bed to stretcher and vice versa.
- + Optimizes space in the ambulance and facilitates access to medical equipment.
- + Ensures patient and personnel safety during critical care transports and reduces the risk of equipment damage.



SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST

technimount.com