



**TECHNIMOUNT**  
EMS™



## **BRACKET PRO SERIE® 92-GR3**

MOUNTING SYSTEM FOR GROUND TRANSPORT  
OF SAPPHIRE™ INFUSION PUMPS

### **SAFETY AND FLEXIBILITY WHERE IT MATTERS MOST**

The Bracket Pro Serie 92 - GR3 is designed to secure and offer reliable support for up to three Sapphire infusion pumps during ground EMS and critical care transport.

With a main focus on practicality, this solution ensures effortless handling and optimal ergonomics, making it an ideal solution for healthcare professionals in transport settings.

Tested in compliance with SAE J3043, the highest industry safety standards for the transport of medical devices.

At Technimount EMS, we understand that EMS and Critical Care Transport teams need solutions that they can rely on. We design and develop quality mounting systems which are safe and flexible, allowing you to concentrate on what matters most - patient care.



# BRACKET PRO SERIE® 92-GR3

## POTENTIAL CONFIGURATIONS

Safety MD - Transporter®



Wall Mount Pro - WR



Micro Base

Note: Product may vary from images shown

# TECHNICAL SPECIFICATIONS

<b>Product Name</b>	Bracket Pro Serie® 92 - GR3
<b>Description</b>	Mounting system designed to secure the Sapphire™ infusion pump(s) during EMS and critical care transport
<b>Part Number</b>	2300-10-MTP-GR3
<b>Features</b>	<ul style="list-style-type: none"><li>- Installation of up to 3 infusion pumps</li><li>- Anti-rotation micro disc (rear mount)</li><li>- Quick release mechanisms</li></ul>
<b>Operating Environment</b>	EMS / CCT (ground)
<b>Compliance</b>	Tested in compliance with SAE J3043
<b>Compatible Mounting System</b>	<ul style="list-style-type: none"><li>- Safety MD-Transporter®</li><li>- Wall Mount System</li><li>- Micro Base (vertical mount)</li></ul>
<b>Dimensions (W x D x H)</b>	13.88 in. x 3.17 in. x 8.3 in. (35.26 cm x 8.05 cm x 21.08 cm)
<b>Weight</b>	2.2 lbs (1 kg)
<b>Composition</b>	<ul style="list-style-type: none"><li>- Bracket: aluminum 6061-T6 with silver anodized finish</li><li>- Anti-rotation micro disc: aluminum 6061-T6 with silver anodized finish</li><li>- Feet, handle: acetal</li></ul>
<b>Safe Working Load (SWL)</b>	3.4 lbs (1.5 kg)
<b>Operating Temperature</b>	- 31° F to 113° F (- 35° C to 45° C)
<b>Installation</b>	<ul style="list-style-type: none"><li>- Quick release mechanisms are used to easily install and remove the infusion pump(s) from the mounting system</li><li>- Infusion pump(s) retained in mounting system by locking mechanism(s)</li></ul>
<b>Model &amp; Configuration Options</b>	<ul style="list-style-type: none"><li>- 2300-10-MTP-FL4: 4-pump mounting solution for air transport</li><li>- 2300-10-MTP-FL3: 3-pump mounting solution for air transport</li><li>- Contact Customer Service at <a href="mailto:customerservice@technimount.com">customerservice@technimount.com</a></li></ul>

# YOUR SAFETY IS OUR PRIORITY



## FEATURES

- ✓ Anti-rotation micro disc to install on a Micro Base in multiple mounting configurations.
- ✓ Lightweight bracket design holding up to three pumps side by side.
- ✓ Red quick release mechanism to instantly install and remove the pump.
- ✓ Top handle and durable feet to transport and place the bracket horizontally on any flat surface.
- ✓ Tested in compliance with SAE J3043, the highest industry safety standards for the transport of medical devices.

## BENEFITS

- + Increases flexibility during EMS and critical care transport.
- + Provides direct access to the pump's screen, connectors, and facilitates effortless tubing management.
- + Easy installation and removal of the pump from its holder, facilitating care delivery.
- + Improves ergonomics and protocol flexibility.
- + Reduces risks of damage to the equipment and improves the safety of patients and personnel during EMS and Critical Care Transport.



**SAFETY AND FLEXIBILITY  
WHERE IT MATTERS MOST**

[technimount.com](https://www.technimount.com)