

MEDICAL DEVICE SURFACE MOUNT





MAKING HEALTHCARE PRACTICES

MORE EFFICIENT

Product Components

The Universal Mounting Base is a lightweight and highly versatile solution designed to easily install and remove a medical device on various surfaces in clinical and hospital environments.

The Universal Mounting Base is compatible with all Bracket Pro Serie® products with a Standard Bottom Disc. Its sliding lock mechanism secures the medical device perfectly, ensuring safety to healthcare providers when in motion inside the hospital.



Highlights

- Enhances flexibility by securing medical devices on various surfaces inside a hospital.
- Compatible with all Bracket Pro Serie® products having a Standard Bottom Disc, improving synergy between pre-hospital and hospital services.
- Integrated Sliding Lock Mechanism for quick and easy installation and removal of the medical device.
- Unique design that allows 360° rotation of the medical device.
- Easy installation on surfaces, roll carts and wall mounts.
- Compatible with the Flex Adapter for installation on auxiliary arms.
- Compatible with the Flex Adapter Shelf for elevated installation on crash carts and counters.

POSSIBLE CONFIGURATIONS



Flex Adapter Shelf



THS® Medical Pivot Arm



Device Stand

Technical Specifications

Product Name	Universal Mounting Base
Description	Mounting system designed to easily install and remove a medical device on various surfaces in clinical and hospital environments.
Product Code	101-20-UN
Operating Environment	Hospital/Clinic
Compliance	IEC 60601 (applicable mechanical sections)
Compatible Mounting System	 Counter top Crash cart Roll cart Wall mounts Flex Adapter Shelf Flex Adapter Auxiliary arms THS® product line
Compatible Medical Device	Medical devices that are secured in Technimount mounting brackets that have a compatible standard bottom disc
Dimensions (W X D X H)	 Universal Mounting Base: 6.5 in. X 8.21 in. X 1.65 in. (16.51 cm X 20.85 cm X 4.15 cm) Options: Flex Adapter Shelf: 6.74 in. X 7.84 in. X 6.62 in. (17.12 cm X 19.91 cm X 16.81 cm) Flex Adapter: 4.79 in. X 4.63 in. X 0.25 in. (12.12 cm X 11.76 cm X 0.64 cm)
Weight	 Universal Mounting Base: 2.23 lb (1.01 kg) Options: Flex Adapter Shelf: 4.68 lb (2.12 kg) Flex Adapter: 0.32 lb (0.15 kg)
Composition	 Universal Mounting Base: Aluminum Options: Flex Adapter Shelf: Steel Flex Adapter: Aluminum
Total Safe Working Load (SWL)	24 lb (10.89 kg)
Operating Temperature	- 31° F to 113° F (- 35° C to 45° C)
Options	830-00-UN-06: Flex Adapter Shelf603-00-WMA-GCX: Flex Adapter

